Republic of Yemen
Ministry of Higher Education & Scientific Research
Emirates International University

الجمهورية اليمنية
وزارة التعليم العالي والبحث العلمي
الجامعة الإماراتية الدولية

MIDTERM EXAM

الكلية	القسم	المستوى	المادة	زمن الامتحان	عدد الاوراق	النموذج
الطبية	صيدلة سريرية	الثاني	Phytotheapy	ساعة	2	"1"

(A) Choose the correct answer for the following:

19/20

1- The linseed used in treatment of constipation and it is an example of .....

a- Osmotic laxatives b- Stimulant laxatives c- Bulk-forming laxatives d- None

2- In severe cases such as in lung cancer, the ..... can be used as antitussive.

4/5

a- Methadone b- Thyme c- Codeine d- None

3- Curcuminoids are hepatoprotective against liver damage induced by various toxins e.g. .....

a- Aflatoxin b- Paracetamol c- Cyclophosphamide d- All

4- The medicinal action of ..... is usually relatively weak. but in rare case

a- Distillate b- Oily extract c- Plant juice d- None

5- The ..... are methods of tea preparation

a- Maceration b- Decoction c- a & b d- None

(B) Write true (T) or false (F) in the following sentences and correct the false one:

10/10

1- The products of secondary metabolism maintain the plant's vital functions (F). primary metabolism

2- Many flavonoids have anti-allergic properties (T).

3- Linden flowers are used for feverish colds, catarrh, coughs and influenza (T).

4- The Chamomile has anti-inflammatory, spasmolytic, antibacterial and antifungal effects (T).

5- Fox glove is used in the treatment of supraventricular tachycardia and heart failure (T).

6- The fresh ginger is less pungent than dried ginger (T).

7- Ginger improves blood circulation and can alleviate some of the symptoms of tinnitus (F). Ginkgo

8- oily extract is an alcoholic preparation of a medicinal herb containing higher concentrations of plant constituents than are found in conventional tinctures(F). fluid extract

الممسوحة ضوئيا بـ CamScanner



9- The difference between a sedative and hypnotic is depending to the dose of the drug (T).

10- Eliminate the undesirable constituents from the objectives of herbal formulation (T).

(C) Compete the following:

1- The St. JOHN. wort is commonly used to treat mild and moderate forms of depression.

2- The plant juice is the liquid obtained by pressing and crushing freshly harvested plant material.

3- The Flatulence... is the passage of excessive wind from the body.

4- The Gin.kogo.. used in cases of peripheral arterial occlusive disease and other circulatory disorders.

5- In large quantities. Champhor .. may be absorbed through the skin causing systemic toxicity.

(D) Much between two columns by writing the latter of the choice:

	Column (I)		Column (II)
a	Artichoke	D	A solution prepared by macerating or percolating a medicinal herb in various concentrations of ethanol.
b	Echinacea	A	Contain the bitter sesquiterpene lactone cynaropicrin, and several flavonoids.
c	Epherdra	B	Contain the caffeic acid derivatives, including echinacoside.
d	Tincture	C	It has been abused as a slimming aid, and an ergogenic aid in sports and athletics
e	Codeine		An extract prepared using ethanol and water mixed at various ratios and concentrations, called the menstruum.
		E	In large doses it may cause respiratory depression and should not be used in hepatic or renal impairment.

Dr. Wedad Mansour

الممسوحة ضوئيا بـ CamScanner